



HR MANUAL ROLLER GRILL



DESIGNED SMART. BUILT SOLID.

APW
wyott
A Standex Company

Simple

Adaptable

Convenient

Simple, uncomplicated operation, maintenance, control and management.

Adaptable to meet virtually any roller cooking requirements, from hot dogs to egg rolls, and more.

Convenient control from cook to hold, for various cycles during peak and off-peak selling hours.



Manual Roller Grill

High product visibility means maximum merchandising for increased customer interest and sales.

Adjustable controls allow switching from cook to hold cycles, quickly and easily while maintaining proper temperatures.



Multi-zone temperature selection saves energy, and permits products to be cooked, while already cooked products can be held at NSF safe temps and served.

Ultimate ease of cleaning with “Tru-Turn” coated rollers. Just wipe clean with damp cloth. Also includes raised roller configuration for previously “hard to reach” areas, and removable grease pan.



Operate with minimal labor involved. Functions equally well in clerk-served and customer self-served spaces.

Variety of options and accessories available to provide further customization.

Stainless steel exterior means maximum durability.



Dimensions



Model	Width	Depth	Height
HR-31	23.75"	18.625"	8.5"
HR-31BC	23.75"	18.625"	12.75"
HR-31BD	23.75"	18.625"	12.75"
HR-31BW	23.75"	18.625"	12.75"
HRS-31	23.75"	18.625"	8.5"
HRS-31BC	23.75"	18.625"	12.75"
HRS-31BD	23.75"	18.625"	12.75"
HRS-31BW	23.75"	18.625"	12.75"
HR-31S	23.75"	18.625"	8.5"
HR-31SBC	23.75"	18.625"	12.75"
HR-31SBD	23.75"	18.625"	12.75"
HR-31SBW	23.75"	18.625"	12.75"
HRS-31S	23.75"	18.625"	8.5"
HRS-31SBC	23.75"	18.625"	12.75"
HRS-31SBD	23.75"	18.625"	12.75"
HRS-31SBW	23.75"	18.625"	12.75"
HR-50	34.75"	18.625"	8.5"
HR-50BC	34.75"	18.625"	12.75"
HR-50BD	34.75"	18.625"	12.75"
HR-50BW	34.75"	18.625"	12.75"
HR-50	34.75"	18.625"	8.5"
HRS-50BC	34.75"	18.625"	12.75"
HRS-50BD	34.75"	18.625"	12.75"
HRS-50BW	34.75"	18.625"	12.75"
HR-50S	34.75"	18.625"	8.5"
HR-50SBC	34.75"	18.625"	12.75"

Model	Width	Depth	Height
HR-50SBD	34.75"	18.625"	12.75"
HR-50SBW	34.75"	18.625"	12.75"
HRS-50S	34.75"	18.625"	8.5"
HRS-50SBC	34.75"	18.625"	12.75"
HRS-50SBD	34.75"	18.625"	12.75"
HRS-50SBW	34.75"	18.625"	12.75"
HR-45	23.75"	29.56"	10.25"
HR-45BC	23.75"	29.56"	14.25"
HR-45BD	23.75"	29.56"	14.25"
HR-45BW	23.75"	29.56"	14.25"
HR-45	23.75"	29.56"	10.25"
HRS-45BC	23.75"	29.56"	14.25"
HRS-45BD	23.75"	29.56"	14.25"
HRS-45BW	23.75"	29.56"	14.25"
HR-75	34.75"	29.56"	10.25"
HR-75BC	34.75"	29.56"	14.25"
HR-75BD	34.75"	29.56"	14.25"
HR-75BW	34.75"	29.56"	14.25"
HRS-75	34.75"	29.56"	10.25"
HRS-75BC	34.75"	29.56"	14.25"
HRS-75BD	34.75"	29.56"	14.25"
HRS-75BW	34.75"	29.56"	14.25"
HR-85BW	34.75"	29.56"	14.25"
HR-85BW	34.75"	29.56"	14.25"
HR-31	23.75"	18.625"	8.5"

Specifications

Construction

Stainless steel exterior, aluminum drip pan and coated steel bottom. Available in chrome or "Tru-Turn" textured rollers. Two heavy-duty high torque motors.

Electric

120V units use a 5-15P Plug. Both the 208V and 240V units are provided with a 60" power cord with a Nema 6-15P plug that exits from the bottom on the left rear corner.

Shipping

HR-31: 43 lbs.	HR-31BC: 73 lbs.	HR-31BD: 73 lbs.	HR-31BW: 76 lbs.
HR-45: 89 lbs.	HR-45BC: 89 lbs.	HR-45BD: 89 lbs.	HR-45BW: 91 lbs.
HR-50: 70 lbs.	HR-50BC: 105 lbs.	HR-50BD: 105 lbs.	HR-50: 108 lbs.
HR-75: 110 lbs.	HR-75: 205 lbs.	HR-75: 205 lbs.	HR-75: 208 lbs.

FOB: Cheyenne WY 82007

APW Wyott Foodservice Equipment Company

1307 N. Watters Drive, Suite 180, Allen, TX 75013
 (800) 527-2100 • (972) 908-6100 • Fax (214) 565-0976
 www.apwwyott.com • info@apwwyott.com